Index of Authors

ABADI, K. *See* TERHELL, A. J.

ABDEL-MUHSIN, A. A. *See* BABIKER, H. A.

ABDELRAHIM, S. A. *See* HAMAD, A. A.

ACKERS, J. P. *See* BHATTACHARYA, A.

AHMED, G. I. *See* HAMAD, A. A.

ALBON, S. D. *See* IRVINE, R. J.

ALLEN, J. E. *See* LAWRENCE, R. A.

ALONSO, P. L. *See* VOUNATSOU, P.

ÁLVAREZ-PELLITERO, P. *See* MUÑOZ, P.

ANDERSON, R. A., KNOLS, B. G. J. and KOELLA, J. C. *Plasmodium falciparum* sporozoites increase feeding-associated mortality of their mosquito hosts *Anopheles gambiae* s.l., 329

ANWAR, M. A., NEWMAN, C., MACDONALD, D. W., WOOLHOUSE, M. E. J. and KELLY, D. W. Coccidiosis in the European badger (*Meles meles*) from England, an epidemiological study, 255

ARNOT, D. E. *See* HAMAD, A. A.

ARYA, R. *See* BHATTACHARYA, A.

ATKINSON, R. *See* ELLIS, J. T.

BABIKER, H. A., ABDEL-MUHSIN, A. A., HAMAD, A., MACKINNON, M. J., HILL, W. G. and WALLIKER, D. Population dynamics of *Plasmodium falciparum* in an unstable malaria area of eastern Sudan, 105

BAIN, O. *See* LE GOFF, L.

BAKHIET, M. *See* HAMADIEN, M.

BAKKE, T. A. *See* HARRIS, P. D.

BALLINGALL, K. T. *See* ROWLANDS, G. J.

BALU, S. *See* ELLIS, J. T.

BARNABÉ, C., BRISSE, S. and TIBAYRENC, M. Population structure and genetic typing of *Trypanosoma cruzi*, the agent of Chagas disease: a multilocus enzyme electrophoresis approach, 513

BASÁÑEZ, M. G., YARZÁBAL, L., FRONTADO, H. L. and VILLAMIZAR, N. J. *Onchocerca-Simulium* complexes in Venezuela: can human onchocerciasis spread outside its present endemic areas?, 143

BERDOY, M. *See* WEBSTER, J. P.

BERTIN, A. *See* CEZILLY, F.

BHATTACHARYA, A., ARYA, R., CLARK, C. G. and ACKERS, J. P. Absence of lipophosphoglycan-like glycoconjugates in *Entamoeba dispar*, 31

BICKLE, Q. D. *See* MANSOUR, J. M.

BILLKER, O., MILLER, A. J. and SINDEN, R. E. Determination of mosquito bloodmeal pH *in situ* by ion selective microelectrode measurement: implications for the regulation of malarial gametogenesis, 547

BISHOP, R. P. *See* SKILTON, R. A.

BISSETT, A. *See* MERCER, J. G.

BLAGBURN, B. *See* MORGAN, U. M.

BLAXTER, M. *See* DAUB, J.

BRISSE, S. *See* BARNABÉ, C.

BROWN, C. G. D. *See* KIRVAR, E.

BROWN, J. A. *See* KELLY, C. E.

BRUCE, K. *See* MERCER, J. G.

BRUNET, L. R., JOSEPH, S., DUNNE, D. W. and FRIED, B. Immune responses during the acute stages of infection with the intestinal trematode *Echinostoma* caproni, 565

CACCIÒ, S., HOMAN, W., CAMILLI, R., TRALDI, G., KORTBEEK, T. and POZIO, E. A microsatellite marker reveals population heterogeneity within human and animal genotypes of *Cryptosporidium parvum*, 237

CAMILLI, R. *See* CACCIÒ, S.

CERQUEIRA, R. *See* D'ANDREA, P. S.

CEZILLY, F., GREGOIRE, A. and BERTIN, A. Conflict between co-occurring manipulative parasites? An experimental study of the joint influence of two acanthocephalan parasites on the behaviour of *Gammarus pulex*, 625

CHAN, M. S., MUTAPI, F., WOOLHOUSE, M. E. J. and ISHAM, V. S. Stochastic simulation and the detection of immunity to schistosome infections, 161

CHANDIWANA, S. K. *See* WOOLHOUSE, M. E. J.

CHAPPELL, L. H. *See* MERCER, J. G.

CHUNG, Y. Y. Y. *See* MAK, C. H.

CIOLI, D. *See* PICA-MATTOCCIA, L.

CLARK, C. G. *See* BHATTACHARYA, A.

COLES, G. C. *See* HEJMADI, M. V.

CONRAD, P. A. *See* KJEMTRUP, A. M.

COOPER, A. *See* XIA, Y.

CURTIDOR, H. *See* RODRIGUEZ, L. E.

CURTIS, R. *See* LÓPEZ DE MENDOZA, M. E.

DABROWSKA, M. *See* RODE, W.

D'ANDREA, P. S., MAROJA, L. S., GENTILE, R., CERQUEIRA, R., MALDONADO, A. JR and REY, L. The parasitism of *Schistosoma mansoni* (Digenea-Trematoda) in a naturally infected population of water rats, *Nectomys squamipes* (Rodentia-Sigmodontinae) in Brazil, 573

DAUB, J., LOUKAS, A., PRITCHARD, D. I. and BLAXTER, M. A survey of genes expressed in adults of the human hookworm, *Necator americanus*, 171

DAY, T. A., HAITHCOCK, J., KIMBER, M. and MAULE, A. G. Functional ryanodine receptor channels in flatworm muscle fibres, 417

DE DEKEN, R. *See* HENDRICKX, G.

DE LA HERRÁN, R., GARRIDO-RAMOS, M. A., NAVAS, J. I., RUIZ REJÓN, C. and RUIZ REJÓN, M. Molecular characterization of the ribosomal RNA gene region of *Perkinsus atlanticus*: its use in phylogenetic analysis and as a target for a molecular diagnosis, 345

DELANY, N. S. *See* HEJMADI, M. V.

DEPLAZES, P. *See* HOFER, S.

DE THOISY, B. *See* FANDEUR, T.

DOVE, A. D. M. Richness patterns in the parasite communities of exotic poeciliid fishes, 609

DUNNE, D. W. *See* BRUNET, L. R.

EL HASSAN, I. M. *See* HAMAD, A. A.

EL KHALIFA, A. A. *See* HAMAD, A. A.

ELLIOT, A. *See* MORGAN, U. M.

ELLIS, J. T., RYCE, C., ATKINSON, R., BALU, S., JONES, P. and HARPER, P. A. W. Isolation, characterization and expression of a *GRA2* homologue from *Neospora caninum*, 383

FALIEX, E. *See* SASAL, P.

FANDEUR, T., VOLNEY, B., PENEAU, C. and DE THOISY, B. Monkeys of the rain forest in French Guiana are natural reservoirs for *P. brasilianum*/*P. malariae* malaria, 11

FELCZAK, K. *See* RODE, W.

FELLOWES, R. A., MAULE, A. G., MARKS, N. J., GEARY, T. G., THOMPSON, D. P. and HALTON, D. W. Nematode neuropeptide modulation of the vagina vera of *Ascaris suum*: *in vitro* effects of PF1, PF2, PF4, AF3 and AF4, 79

FISHER, M. C. *See* PATERSON, S.

FRANCES, S. P., WATCHARAPICHAT, P., PHULSUKSOMBATI, D. and TANSKUL, P. Transmission of *Orientia tsutsugamushi*, the aetiological agent for scrub typhus, to co-feeding mites, 601

FRIED, B. *See* BRUNET, L. R.

FRONTADO, H. L. *See* BASÁÑEZ, M. G.

FUKATA, T. *See* ZAHLER, M.

GACHANJA, J. *See* SKILTON, R. A.

GARRIDO-RAMOS, M. A. *See* DE LA HERRÁN, R.

GEARY, T. G. *See* FELLOWES, R. A.
GEISSLER, S. *See* MERCER, J. G.
GEMMILL, A. W., VINEY, M. E. and READ, A. F. The evolutionary ecology of host-specificity: experimental studies with *Strongyloides ratti*, 429
GENTILE, R. *See* D'ANDREA, P. S.
GERSTENBERG, C. *See* KIRVAR, E.
GLOOR, S. *See* HOFER, S.
GOES, A. M. *See* OLIVEIRA, D.
GOLOS, B. *See* RODE, W.
GOTHE, R. *See* ZAHLER, M.
GOWTAGE-SEQUEIRA, S. *See* WEBSTER, J. P.
GRAY, C. A. *See* LAWRENCE, R. A.
GREGOIRE, A. *See* CEZILLY, F.
GULYAEVA, N. V. *See* TERENINA, N. B.
GUSTAFFSSON, M. K. S. *See* TERENINA, N. B.
GUSTAVSON, S. *See* OLIVEIRA, D.
GUZMAN, F. *See* RODRIGUEZ, L. E.

HAARBRINK, M. *See* TERHELL, A. J.
HAAS, W. *See* HABERL, B.
HABERL, B., KÖRNER, M., SPENGLER, Y., HERTEL, J., KALBE, M. and HAAS, W. Host-finding in *Echinostoma caproni*: miracidia and cercariae use different signals to identify the same snail species, 479
HAGAN, P. *See* WOOLHOUSE, M. E. J.
HAITHCOCK, J. *See* DAY, T. A.
HALTON, D. W. *See* FELLOWES, R. A.
HALTON, D. W. *See* MAIR, G. R.
HALVORSEN, O. *See* IRVINE, R. J.
HAMAD, A. A., EL HASSAN, I. M., EL KHALIFA, A. A., AHMED, G. I., ABDELRAHIM, S. A., THEANDER, T. G. and ARNOT, D. E. Chronic *Plasmodium falciparum* infections in an area of low intensity malaria transmission in the Sudan, 447
HAMAD, A. *See* BABIKER, H. A.
HAMADIEN, M., BAKHIET, M. and HARRIS, R. A. Interferon-γ induces secretion of trypanosome lymphocyte triggering factor via tyrosine protein kinases, 281
HARPER, P. A. W. *See* ELLIS, J. T.
HARRIS, P. D., SOLENG, A. and BAKKE, T. A. Increased susceptibility of salmonids to the monogenean *Gyrodactylus salaris* following administration of hydrocortisone acetate, 57
HARRIS, R. A. *See* HAMADIEN, M.
HEANEY, N. *See* XIA, Y.
HEGGLIN, D. *See* HOFER, S.
HEJMADI, M. V., JAGANNATHAN, S., DELANY, N. S., COLES, G. C. and WOLSTENHOLME, A. J. L-Glutamate binding sites of parasitic nematodes: an association with ivermectin resistance?, 535
HENDRICKX, G., NAPALA, A., SLINGENBERGH, J. H. W., DE DEKEN, R., VERCRUYSSE, J. and ROGERS, D. J. The spatial pattern of trypanosomosis prevalence predicted with the aid of satellite imagery, 121
HERTEL, J. *See* HABERL, B.
HIGGS, S. and NOWELL, F. Population biology of *Eimeria* (Protozoa: Apicomplexa) in *Apodemus sylvaticus*: a capture/recapture study, 355
HILL, W. G. *See* BABIKER, H. A.
HOFER, S., GLOOR, S., MÜLLER, U., MATHIS, A., HEGGLIN, D. and DEPLAZES, P. High prevalence of *Echinococcus multilocularis* in urban red foxes (*Vulpes vulpes*) and voles (*Arvicola terrestris*) in the city of Zürich, Switzerland, 135
HOMAN, W. *See* CACCIÒ, S.
HOOSHMAND-RAD, P. *See* KIRVAR, E.
HOUWING-DUISTERMAAT, J. J. *See* TERHELL, A. J.
HUDSON, P. J. *See* LAURENSON, M. K.
HURD, H. *See* WEBSTER, J. P.
HURST, G. D. D. *See* JIGGINS, F. M.

ILHAN, T. *See* KIRVAR, E.
IRVINE, R. J., STIEN, A., HALVORSEN, O., LANGVATN, R. and ALBON, S. D. Life-history strategies and population dynamics of abomasal nematodes in Svalbard reindeer (*Rangifer tarandus platyrhynchus*), 297
ISHAM, V. S. *See* CHAN, M. S.

JAGANNATHAN, S. *See* HEJMADI, M. V.

JIGGINS, C. D. *See* JIGGINS, F. M.
JIGGINS, F. M., HURST, G. D. D., JIGGINS, C. D., SCHULENBERG, J. H. G. v.d. and MAJERUS, M. E. N. The butterfly *Danaus chrysippus* is infected by a male-killing *Spiroplasma* bacterium, 439
JOBET, E. *See* SASAL, P.
JONES, C. S. *See* LOCKYER, A. E.
JONES, P. *See* ELLIS, J. T.
JOSEPH, S. *See* BRUNET, L. R.

KALBE, M. *See* HABERL, B.
KAMIYA, M. *See* TSUKADA, H.
KATZER, F. *See* KIRVAR, E.
KAY, J. W. *See* SHINN, A. P.
KELLY, C. E., KENNEDY, C. R. and BROWN, J. A. Physiological status of wild European eels (*Anguilla anguilla*) infected with the parasitic nematode, *Anguillicola crassus*, 195
KELLY, D. W. *See* ANWAR, M. A.
KENNEDY, C. R. *See* KELLY, C. E.
KENNEDY, C. R. *See* KIRK, R. S.
KELLY, D. W. and THOMPSON, C. E. Epidemiology and optimal foraging: modelling the idea free distribution of insect vectors, 319
KENNEDY, M. W. *See* XIA, Y.
KHRAMTSOV, N. V. *See* MORGAN, U. M.
KIMBER, M. *See* DAY, T. A.
KIRK, R. S., LEWIS, J. W. and KENNEDY, C. R. Survival and transmission of *Anguillicola crassus* Kuwahara, Niimi & Itagaki, 1974 (Nematoda) in seawater eels, 289
KIRVAR, E., ILHAN, T., KATZER, F., HOOSHMAND-RAD, P., ZWEYGARTH, E., GERSTENBERG, C., PHIPPS, P. and BROWN, C. G. D. Detection of *Theileria annulata* in cattle and vector ticks by PCR using the Tams 1 gene sequences, 245
KITUA, A. Y. *See* VOUNATSOU, P.
KJEMTRUP, A. M., THOMFORD, J., ROBINSON, T. and CONRAD, P. A. Phylogenetic relationships of human and wildlife piroplasm isolates in the western United States inferred from the 18S nuclear small subunit RNA gene, 487
KNOLS, B. G. J. *See* ANDERSON, R. A.
KO, R. C. *See* MAK, C. H.
KOELLA, J. C. *See* ANDERSON, R. A.
KOMUNIECKI, R. *See* XIA, Y.
KÖRNER, M. *See* HABERL, B.
KORTBEEK, T. *See* CACCIÒ, S.
KULIKOWSKI, T. *See* RODE, W.
KUSEL, J. R. *See* LÓPEZ DE MENDOZA, M. E.
KYES, S. *See* MAITLAND, K.

LAL, A. *See* MORGAN, U. M.
LANGVATN, R. *See* IRVINE, R. J.
LAURENSON, M. K., NORMAN, R., REID, H. W., POW, I., NEWBORN, D. and HUDSON, P. J. The role of lambs in louping-ill virus amplification, 97
LAWRENCE, R. A., ALLEN, J. E. and GRAY, C. A. Requirements for *in vivo* IFN-γ introduction by live microfilariae of the parasitic nematode, *Brugia malayi*, 631
LE GOFF, L., MARTIN, C., OSWALD, I. P., VUONG, P. N., PETIT, G., UNGEHEUER, M. N. and BAIN, O. Parasitology and immunology of mice vaccinated with irradiated *Litomosoides sigmodontis* larvae, 271
LEHANE, M. J., MSANGI, A. R., WHITAKER, C. J. and LEHANE, S. M. Grouping of trypanosome species in mixed infections in *Glossina pallidipes*, 583

LEHANE, S. M. *See* LEHANE, M. J.
LEIRO, J., SISO, M. I. G., PARAMA, A., UBEIRA, F. M. and SANMARTIN, M. L. RFLP analysis of PCR-amplified small subunit ribosomal DNA of three fish microsporidian species, 113
LEWIS, J. W. *See* KIRK, R. S.
LINDHOLM, A. M. *See* TERENINA, N. B.
LOCKYER, A. E., JONES, C. S., NOBLE, L. R. and ROLLINSON, D. Use of differential display to detect changes in gene expression in the intermediate snail host *Biomphalaria glabrata* upon infection with *Schistosoma mansoni*, 399
LÓPEZ DE MENDOZA, M. E., MODHA, J., ROBERTS, M. C., CURTIS, R. and KUSEL, J. R. Changes in the lipophilicity of the surfaces of *Meloidogyne incognita* and *Haemonchus contortus* during exposure to host signals, 203
LOUKAS, A. *See* DAUB, J.

MACDONALD, D. W. *See* ANWAR, M. A.
MACKINNON, M. J. *See* BABIKER, H. A.
MAEDE, Y. *See* ZAHLER, M.
MAIR, G. R., HALTON, D. W., SHAW, C. and MAULE, A. G. The neuropeptide F(NPF) encoding gene from the cestode, *Moniezia expansa*, 71
MAITLAND, K., KYES, S., WILLIAMS, T. N. and NEWBOLD, C. I. Genetic restriction of *Plasmodium falciparum* in an area of stable transmission: an example of island evolution?, 335
MAJERUS, M. E. N. *See* JIGGINS, F. M.
MAK, C. H., CHUNG, Y. Y. Y. and KO, R. C. Single-stranded endonuclease activity in the excretory-secretory products of *Trichinella spiralis* and *Trichinella pseudospiralis*, 527
MALDONALDO, A. Jr *See* D'ANDREA, P. S.
MANSOUR, J. M., MCCROSSAN, M. V., BICKLE, Q. D. and MANSOUR, T. E. *Schistosoma mansoni* phosphofructokinase: immunolocalization in the tegument and immunogenicity, 501
MANSOUR, T. E. *See* MANSOUR, J. M.
MARKS, N. J. *See* FELLOWES, R. A.
MAROJA, L. S. *See* D'ANDREA, P. S.
MARTIN, C. *See* LE GOFF, L.
MATHIS, A. *See* HOFER, S.
MAULE, A. G. *See* DAY, T. A.
MAULE, A. G. *See* FELLOWES, R. A.
MAULE, A. G. *See* MAIR, G. R.
MCCROSSAN, M. V. *See* MANSOUR, J. M.
MCDERMOTT, L. *See* XIA, Y.
MCKEEVER, D. J. *See* ROWLANDS, G. J.
MEI, B. *See* XIA, Y.
MERCER, J. G., MITCHELL, P. I., MOAR, K. M., BISSETT, A., GEISSLER, S., BRUCE, K. and CHAPPELL, L. H. Anorexia in rats infected with the nematode, *Nippostrongylus* brasiliensis: experimental manipulations, 641
MIKHEEV, A. V. *See* MIKHEEV, V. N.
MIKHEEV, V. N., MIKHEEV, A. V., PASTERNAK, A. F. and VALTONEN, E. T. Light-mediated host searching strategies in a fish ectoparasite, *Argulus foliaceus* L. (Crustacea: Branchiura), 409
MILLER, A. J. *See* BILLKER, O.
MITCHELL, P. I. *See* MERCER, J. G.
MOAR, K. M. *See* MERCER, J. G.
MODHA, J. *See* LÓPEZ DE MENDOZA, M. E.
MONIS, P. *See* MORGAN, U. M.
MOORE, J. *See* XIA, Y.
MORAND, S. and MÜLLER-GRAF, C. D. M. Muscles or testes? Comparative evidence for sexual competition among dioecious blood parasites (Schistosomatidae) of vertebrates, 45
MORAND, S. *See* SASAL, P.
MORGAN, U. M., XIAO, L., MONIS, P., SULAIMAN, I., PAVLASEK, I., BLAGBURN, B., OLSON, M., UPTON, S. J., KHRAMTSOV, N. V., LAL, A., ELLIOT, A. and THOMPSON, R. C. A. Molecular and phylogenetic analysis of *Cryptosporidium muris* from various hosts, 457
MORISHIMA, Y. *See* TSUKADA, H.
MORONI, R. *See* PICA-MATTOCCIA, L.
MORZARIA, S. P. *See* ROWLANDS, G. J.
MORZARIA, S. P. *See* SKILTON, R. A.
MSANGI, A. R. *See* LEHANE, M. J.
MÜLLER, U. *See* HOFER, S.
MÜLLER-GRAF, C. D. M. *See* MORAND, S.
MUÑOZ, P., SITJÀ-BOBADILLA, A. and ÁLVAREZ-PELLITERO, P. Cellular and humoral immune response of European sea bass (*Dicentrarchus labrax* L.) (Teleostei: Serranidae) immunized with *Sphaerospora dicentrarchi* (Myxosporea: Bivalvulida), 465
MUSOKE, A. J. *See* ROWLANDS, G. J.
MUSOKE, A. J. *See* SKILTON, R. A.
MUTAPI, F. *See* CHAN, M. S.
MUTAPI, F. *See* WOOLHOUSE, M. E. J.

NAGDA, S. M. *See* ROWLANDS, G. J.
NAPALA, A. *See* HENDRICKX, G.
NAVAS, J. I. *See* DE LA HERRÁN, R.
NDHLOVU, P. D. *See* WOOLHOUSE, M. E. J.
NENE, V. *See* SKILTON, R. A.
NEWBOLD, C. I. *See* MAITLAND, K.
NEWBORN, D. *See* LAURENSON, M. K.
NEWMAN, C. *See* ANWAR, M. A.
NOBLE, L. *See* LOCKYER, A. E.
NONAKA, N. *See* TSUKADA, H.
NORMAN, R. *See* LAURENSON, M. K.
NOWELL, F. *See* HIGGS, S.

OCAMPO, M. *See* RODRIGUEZ, L. E.
O'CONNELL, K. M. and ROGAN, M. T. Apoptosis in human Jurkat T cells after culture with live *Taenia crassiceps* cysticerci *in vitro*, 649
OKU, Y. *See* TSUKADA, H.
OLIVEIRA, D., SILVA-TEIXEIRA, D. N., GUSTAVSON, S., OLIVEIRA, S. M. P. and GOES, A. M. Nitric oxide interaction with IL-10, MIP-1α, MCP-1 and RANTES over the *in vitro* granuloma formation against different *Schistosoma mansoni* antigenic preparations on human schistosomiasis, 391
OLIVEIRA, S. M. P. *See* OLIVEIRA, D.
OLSON, M. *See* MORGAN, U. M.
ONUFRIEV, M. V. *See* TERENINA, N. B.
OSASO, J. *See* SKILTON, R. A.
OSWALD, I. P. *See* LE GOFF, L.

PARAMA, A. *See* LEIRO, J.
PASTERNAK, A. F. *See* MIKHEEV, V. N.
PATARROYO, M. E. *See* RODRIGUEZ, L. E.
PATERSON, S., FISHER, M. C. and VINEY, M. E. Inferring infection processes of a parasitic nematode using population genetics, 185
PAVLASEK, I. *See* MORGAN, U. M.
PENEAU, C. *See* FANDEUR, T.
PETIT, G. *See* LE GOFF, L.
PHIPPS, P. *See* KIRVAR, E.
PHULSUKSOMBATI, D. *See* FRANCES, S. P.
PICA-MATTOCCIA, L., MORONI, R., TCHUEM TCHUENTÉ, L. A., SOUTHGATE, V. R. and CIOLI, D. Changes of mate occur in *Schistosoma mansoni*, 495
POW, I. *See* LAURENSON, M. K.
POZIO, E. *See* CACCIÒ, S.
PRITCHARD, D. I. *See* DAUB, J.

READ, A. F. *See* GEMMILL, A. W.
REID, H. W. *See* LAURENSON, M. K.
REY, L. *See* D'ANDREA, P. S.
RINDER, H. *See* ZAHLER, M.
ROBERTS, M. C. *See* LÓPEZ DE MENDOZA, M. E.
ROBINSON, T. *See* KJEMTRUP, A. M.

RODE, W., DABROWSKA, M., ZIELIŃSKA, Z., GOŁOS, B., WRANICZ, M., FELCZAK, K. and KULIKOWSKI, T. *Trichinella spiralis* and *Trichinella pseudospiralis*: developmental patterns of enzymes involved in thymidylate biosynthesis and pyrimidine salvage, 593

RODRIGUEZ, L. E., URQUIZA, M., OCAMPO, M., SUAREZ, J., CURTIDOR, H., GUZMAN, F., VARGAS, L. E., TRIVIÑOS, M., ROSAS, M. and PATARROYO, M. E. *Plasmodium falciparum* EBA-175 kDa protein peptides which bind to human red blood cells, 225

ROGERS, D. J. *See* HENDRICKX, G.

ROLLINSON, D. *See* LOCKYER, A. E.

ROSAS, M. *See* RODRIGUEZ, L. E.

ROWLANDS, G. J., MUSOKE, A. J., MORZARIA, S. P., NAGDA, S. M., BALLINGALL, K. T. and MCKEEVER, D. J. A statistically derived index for classifying East Coast fever reactions in cattle challenged with *Theileria parva* under experimental conditions, 371

RUITERMAN, Y. *See* TERHELL, A. J.

RUIZ REJÓN, C. *See* DE LA HERRÁN, R.

RYCE, C. *See* ELLIS, J. T.

SAN MARTIN, M. L. *See* LEIRO, J.

SASAL, P., JOBET, E., FALIEX, E. and MORAND, S. Sexual competition in an acathocephalan parasite of fish, 65

SCHEIN, E. *See* ZAHLER, M.

SCHULENBERG, J. H. G. v.d. *See* JIGGINS, F. M.

SHAW, C. *See* MAIR, G. R.

SHINN, A. P., KAY, J. W. and SOMMERVILLE, C. The use of statistical classifiers for the discrimination of species of the genus *Gyrodactylus* (Monogenea) parasitizing salmonids, 261

SILVA-TEIXEIRA, D. N. *See* OLIVEIRA, D.

SINDEN, R. E. *See* BILLKER, O.

SISO, M. I. G. *See* LEIRO, J.

SITJÀ-BOBADILLA, A. *See* MUÑOZ, P.

SKILTON, R. A., MUSOKE, A. J., WELLS, C. W., YAGI, Y., NENE, V., SPOONER, P. R., GACHANJA, J., OSASO, J., BISHOP, R. P. and MORZARIA, S. P. A 32 kDa surface antigen of *Theileria parva*: characterization and immunization studies, 553

SLINGENBERGH, J. H. W. *See* HENDRICKX, G.

SMITH, T. *See* VOUNATSOU, P.

SOLENG, A. *See* HARRIS, P. D.

SOMMERVILLE, C. *See* SHINN, A. P.

SOUTHGATE, V. R. *See* PICA-MATTOCCIA, L.

SPENCE, H. J. *See* XIA, Y.

SPENGLER, Y. *See* HABERL, B.

SPOONER, P. R. *See* SKILTON, R. A.

STIEN, A. *See* IRVINE, R. J.

SUAREZ, J. *See* RODRIGUEZ, L. E.

SULAIMAN, I. *See* MORGAN, U. M.

TANNER, M. *See* VOUNATSOU, P.

TANSKUL, P. *See* FRANCES, S. P.

TCHUEM TCHUENTÉ, L. A. *See* PICA-MATTOCCIA, L.

TERENINA, N. B., ONUFRIEV, M. V., GULYAEVA, N. V., LINDHOLM, A. M. and GUSTAFSSON, M. K. S. A radiometric analysis of nitric oxide synthase activity in *Hymenolepis diminuta*, 91

TERHELL, A. J., HOUWING-DUISTERMAAT, J. J., RUITERMAN, Y., HAARBRINK, M., ABADI, K. and YAZDANBAKHSH, M. Clustering of *Brugia malayi* infection in a community in South-Sulawesi, Indonesia, 23

THEANDER, T. G. *See* HAMAD, A. A.

THOMFORD, J. *See* KJEMTRUP, A. M.

THOMPSON, C. E. *See* KELLY, D. W.

THOMPSON, D. P. *See* FELLOWES, R. A.

THOMPSON, R. C. A. *See* MORGAN, U. M.

TIBAYRENC, M. *See* BARNABÉ, C.

TRALDI, G. *See* CACCIÒ, S.

TRIVIÑOS, M. *See* RODRIGUEZ, L. E.

TSUKADA, H., MORISHIMA, Y., NONAKA, N., OKU, Y. and KAMIYA, M. Preliminary study of the role of red foxes in *Echinococcus multilocularis* transmission in the urban area of Sapporo, Japan, 423

UBEIRA, F. M. *See* LEIRO, J.

UNGEHEUER, M. N. *See* LE GOFF, L.

UPTON, S. J. *See* MORGAN, U. M.

URQUIZA, M. *See* RODRIGUEZ, L. E.

VALTONEN, E. T. *See* MIKHEEV, V. N

VARGAS, L. E. *See* RODRIGUEZ, L. E.

VERCRUYSSE, J. *See* HENDRICKX, G.

VILLAMIZAR, N. J. *See* BASÁÑEZ, M. G.

VINEY, M. E. *See* GEMMILL, A. W.

VINEY, M. E. *See* PATERSON, S.

VOLNEY, B. *See* FANDEUR, T.

VOUNATSOU, P., SMITH, T., KITUA, A. Y., ALONSO, P. L. and TANNER, M. Apparent tolerance of *Plasmodium falciparum* in infants in a highly endemic area, 1

VUONG, P. N. *See* LE GOFF, L.

WALLIKER, D. *See* BABIKER, H. A.

WATCHARAPICHAT, P. *See* FRANCES, S. P.

WATSON, D. G. *See* XIA, Y.

WEBSTER, J. P., GOWTAGE-SEQUEIRA, S., BERDOY, M. and HURD, H. Predation of beetles (*Tenebrio molitor*) infected with tapeworms (*Hymenolepis diminuta*): a note of caution for the Manipulation Hypothesis, 313

WELLS, C. W. *See* SKILTON, R. A.

WHITAKER, C. J. *See* LEHANE, M. J.

WILLIAMS, T. N. *See* MAITLAND, K.

WOLSTENHOLME, A. J. *See* HEJMADI, M. V.

WOOLHOUSE, M. E. J., MUTAPI, F., NDHLOVU, P. D., CHANDIWANA, S. K. and HAGAN, P. Exposure, infection and immune responses to *Schistosoma haematobium* in young children, 37

WOOLHOUSE, M. E. J. *See* ANWAR, M. A.

WOOLHOUSE, M. E. J. *See* CHAN, M. S.

WRANICZ, M. *See* RODE, W.

XIA, Y., SPENCE, H. J., MOORE, J., HEANEY, N., MCDERMOTT, L., COOPER, A., WATSON, D. G., MEI, B., KOMUNIECKI, R. and KENNEDY, M. W. The ABA-1 allergen of *Ascaris lumbricoides*: sequence polymorphism, stage and tissue-specific expression, lipid binding function, and protein biophysical properties, 211

XIAO, L. *See* MORGAN, U. M.

YAGI, Y. *See* SKILTON, R. A.

YARZÁBAL, L. *See* BASÁÑEZ, M. G.

YAZDANBAKHSH, M. *See* TERHELL, A. J.

ZAHLER, M., RINDER, H., ZWEYGARTH, E., FUKATA, T., MAEDE, Y., SCHEIN, E. and GOTHE, R. '*Babesia gibsoni*' of dogs from North America and Asia belong to different species, 365

ZIELIŃSKA, Z. *See* RODE, W.

ZWEYGARTH, E. *See* KIRVAR, E.

ZWEYGARTH, E. *See* ZAHLER, M.

Index of Subjects

ABA-1 allergen protein of *Ascaris lumbricoides*, characterization of, 211
Acanthocephalan parasites, of fish, sexual competition in, 65
Allergen, the ABA-1 of *Ascaris lumbricoides*, characterization of, 211
Anguilla anguilla, physiological status of when infected with *Anguillicola crassus*, 195
Anguillicola crassus, effect of infection with on the physiological status of *Anguilla anguilla*, 195
Anguillicola crassus, survival and transmission of in seawater eels, 289
Anorexia, in *Nippostrongylus brasiliensis* infected rats, 641
Apodemus sylvaticus, population biology of *Eimeria* in, 355
Apoptosis, in T cells cultured with *Taenia crassiceps* cysticerci, 649
Argulus foliaceus, host-searching strategies in, 409
Ascaris lumbricoides, characterization of the ABA-1 allergen of, 211
Ascaris suum, effects of neuropeptide modulation on the vagina vera of, 79

Babesia gibsoni, different species of in dogs from North America and Asia, 365
Brugia malayi, induction of IFN-γ by, 631
Brugia malayi infection, clustering of in a community in South-Sulawesi, Indonesia, 23
cDNA, encoding NPF from *Moniezia expansa*, 71
Chemo-orientation, role of in host-finding in *Echinostoma caproni*, 479
Clustering, of *Brugia malayi* infection, 23
Coccidiosis, in the European badger, 255
Co-feeding transmission, of *Orientia tsutsugamushi*, 601
Cryptosporidium muris, molecular and phylogenetic analysis of from various hosts, 457
Cryptosporidium parvum, microsatellite variation in, 237
Cuticle surface, changes in lipophilicity of, 203
Cysticerci, of *Taenia* crassiceps, induction of apoptosis in T cells by, 649

Danaus chrysippus, infection of by a male-killing *Spiroplasma* bacterium, 439
Dicentrarchus labrax, immune responses of to *Sphaerospora dicentrarchi*, 465
Differential display, use of to detect changes in gene expression in *Schistosoma mansoni*-infected *Biomphalaria glabrata*, 399
Dioecious blood parasites, evidence for sexual competition among, 45
Disease reaction index, for East Coast fever, 371

East Coast fever, a reaction index for, 371
EBA-175, from *Plasmodium falciparum*, binding of to human red blood cells, 225
Echinostoma caproni, host-finding in, 479
  infection of in C57BL/6 mice, 565
Echinococcus multilocularis, high prevalence of in urban red foxes and voles in Zürich, 135
  role of red foxes in transmission of, in Sapporo, Japan, 423
Eimeria, population biology of in *Apodemus sylvaticus*, 355
Entamoeba dispar, absence of lipophosphoglycan-like glycoconjugates in, 31
Epidemiology, of optimal foraging, 319
Evolutionary ecology, of host specificity, 429
Excretory–secretory products, of *Trichinella* spp., single-stranded endonuclease in, 527

Exotic fish, richness patterns in the parasite communities of, 609
Exposure, of young children to *Schistosoma haematobium*, 37

Flatworms, functional ryanodine receptor channels in the muscle fibres of, 417
French Guiana, monkeys in the rainforest are natural reservoirs for *P. brasilianum*/*P. malariae* malaria, 11

Gametogenesis, and mosquito midgut pH, 547
Gammarus pulex, effect of manipulative parasites on the behaviour of, 625
Genes, expressed in *Necator americanus*, a survey of, 171
Gene expression, detection of changes in, in *Schistosoma mansoni*-injected *Biomphalaria glabrata*, 399
Genetic restriction, of *Plasmodium falciparum*, 335
Genetic species differentiation, of *Babesia gibsoni*, 365
Genetic typing, of *Trypanosoma cruzi*, 513
Glossina pallidipes, grouping of trypanosome species in, 583
GRA2 homologue, isolation and characterization of from *Neospora caninum*, 383
Granuloma formation, in response to *Schistosoma mansoni*, 391
Grouping, of trypanosome species in *Glossina pallidipes*, 583
Gyrodactylus salaris, effect of hydrocortisone acetate on infections of in salmonids, 57
Gyrodactylus spp., discrimination of using statistical classifiers, 261

Haemonchus contortus, changes in lipophilicity of the surface of due to host signals, 203
Hookworm, a survey of genes expressed in adults of, 171
Host-finding, in *Echinostoma caproni*, 479
Host–parasite interactions, in parasitic nematodes, 185
Host-searching strategies, in *Argulus foliaceus*, 409
Host specificity, of *Strongyloides ratti*, 429
Hydrocortisone acetate, effect of on *Gyrodactylus salaris* infections, in salmonids, 57
Hymenolepis diminuta, nitric oxide synthase in, 91

Ideal Free Distribution model, development of for insect vectors, 319
IFN-γ induction, by microfilariae of *Brugia malayi*, 631
Immune responses, of C57BL/6 mice to *Echinostoma caproni* infection, 565
  of sea bass to *Sphaerospora dicentrarchi*, 465
  of young children to *Schistosoma haematobium*, 37
Immunization studies, using a 32 kDa surface antigen of *Theileria parva*, 553
Immunolocalization, of phosphofructokinase in *Schistosoma mansoni*, 501
Immunology, of mice vaccinated with irradiated *Litomosoides sigmodontis* larvae, 271
Interferon-γ, induction of trypanosome lymphocyte triggering factor by, 281
Invasion, of human RBC by *Plasmodium* spp., role of EBA-175 in, 225
Island evolution, an example of?, 335
Ivermectin resistance, and L-glutamate binding sites in parasitic nematodes, 535

L-Glutamate binding sites, of parasitic nematodes, 535
Life-history strategies, of abomasal nematodes in Svalbard reindeer, 297
Lipophosphoglycan-like glycoconjugates, absence of in *Entamoeba dispar*, 31
Litomosoides sigmodontis, vaccination of mice with irradiated larvae of, 271

Local adaptation, potential role of in the spread of onchocerciasis, 143
Looping-ill virus, the role of lambs in the amplification of, 97

Malaria, case definitions of in children, 1
Malaria, chronic infections of in Sudan, 447
Malaria gametogenesis, mosquito midgut pH and, 547
Malaria-induced mortality, of mosquitoes, 329
Manipulation Hypothesis, implications of predation of cestode-infected beetles for, 313
Manipulative parasites, co-occurrence of, 625
Mating competition, in *Schistosoma* mansoni, 495
Mebendazole, use of in *Nippostrongylus brasiliensis*-induced anorexia in rats, 641
Meles meles, coccidiosis in, 255
Meloidogyne incognita, changes in lipophilicity of the surface of due to host signals, 203
Microfilariae, of *Brugia malayi*, induction of IFN-γ by, 631
Microsatellite, variation of in *Cryptosporidium parvum*, 237
Microsporidia, riboprinting of, 113
Model, for detecting immunity to helminth infections, 161
for the ideal free distribution of insect vectors, 319
Molecular characterization, of the ribosomal RNA gene region of *Perkinsus atlanticus*, 345
Molecular diagnosis, a possible target for in *Perkinsus atlanticus*, 345
Moniezia expansa, neuropeptide F (NPF) gene from, 71
Mosquito bloodmeal pH, determination of *in situ*, 547
Muscles or testes, in schistosomes, 45

Necator americanus, a survey of genes expressed in adults of, 171
Nectomys squamipes, parasitism of by *Schistosoma mansoni*, 573
Nematode L-glutamate binding sites, association of with ivermectin resistance?, 535
Nematode polyprotein allergens, characterization of in *Ascaris lumbricoides*, 211
Neospora caninum, isolation of a *GRA2* homologue from, 383
Neuropeptide, effects of on the vagina vera of *Ascaris suum*, 79
Neuropeptide F (NPF) gene, from *Moniezia expansa*, 71
Nippostrongylus brasiliensis, induction of anorexia in rats infected by, 641
Nitric oxide, role of in the regulation of granulomatous responses to *Schistosoma mansoni*, 391
Nitric oxide synthase, in *Hymenolepis diminuta*, 91

Onchocerca–Simulium complexes in Venezuela, 143
Onchocerciasis, questionable spread of outside present endemic areas, 143
Orientia tsutsugamushi, transmission of to co-feeding mites, 601

Parasite communities, of exotic poeciliid fishes, 609
Parasitology, of mice vaccinated with irradiated *Litomosoides sigmodontis* larvae, 271
PCR, use of in detection of *Theileria annulata*, 245
Perkinsus atlanticus, phylogeny and diagnosis of, 345
Phosphofructokinase, immunolocalization of in *Schistosoma mansoni*, 501
Phylogenetic analysis, of *Cryptosporidium muris* from various hosts, 457
Phylogeny, of western US piroplasms, 487
Physiological status, of wild European eels infected with *Anguillicola crassus*, 195
Piroplasms, phylogeny of in western US, 487
Plasmodium brasilianum, monkeys are natural reservoirs for in French Guiana, 11
Plasmodium falciparum, apparent tolerance of in infants, 1
chronic infections of in Sudan, 447
EBA-175 kDa peptides of bind to human red blood cells, 225
genetic restriction of, 335
population dynamics of in an unstable malaria area, 105
sporozoites of increase mosquito host mortality, 329
Plasmodium malariae, monkeys are natural reservoirs for in French Guiana, 11
Poeciliid fishes, richness patterns of parasite communities in, 609
Population biology, of *Eimeria* in *Apodemus sylvaticus*, 355
Population dynamics, of abomasal nematodes in Svalbard reindeer, 297
of *Plasmodium falciparum* in an unstable malaria area, 105
of *Schistosoma mansoni* in water rats, 573
Population genetics, of parasitic nematodes, 185
Population structure, of *Trypanosoma cruzi*, 513
Predation, of cestode-infected beetles, 313
Prevalence, of trypanosomosis, prediction of by satellite imagery, 121
Pyrimidine salvage, in *Trichinella* spp., 593

Rangifer tarandus platyrhynchus, life-history strategies and population dynamics of abomasal nematodes in, 297
Red fox, high prevalence of *Echinococcus multilocularis* in in Zürich, 135
Red foxes, role of in *Echinococcus multilocularis* transmission in Sapporo, Japan, 423
RFLP analysis, of three fish microsporidian species, 113
Riboprinting, of three marine microsporidian species, 113
Richness patterns, in the parasite communities of exotic poeciliid fishes, 609
Ryanodine receptor channels, in flatworm muscle fibres, 417

Satellite imagery, use of to predict trypanosomosis prevalence, 121
Schistosoma haematobium, exposure, infection and immune responses to in young children, 37
Schistosoma mansoni, changes of mate in, 495
granuloma formation by, 391
immunolocalization of phosphofructokinase in, 501
Schistosoma mansoni, in *Nectomys squamipes*, 573
Schistosoma mansoni-infected *Biomphalaria glabrata*, detection of gene expression changes in, 399
Schistosome infections, detection of immunity to by stochastic simulation, 161
Sea bass, immune responses of to *Sphaerospora dicentrarchi*, 465
Sexual competition, evidence of among dioecious blood parasites, 45
in an acathocephalan parasite of fish, 65
Simulium spp., transmission of *Onchocerca volvulus* by outside present endemic areas? 143
Single-stranded endonuclease, in the E–S products of *Trichinella* spp., 527
Sphaerospora dicentrarchi, immune responses of sea bass to, 465
Spiroplasma bacterium, infection of the butterfly, *Danaus chrysippus* by, 439
Statistical classifiers, use of to discriminate *Gyrodactylus* spp., 261
Stochastic simulation, and the detection of immunity to schistosome infections, 161
Strongyloides ratti, host specificity of, 429
population genetics of, 185
Surface antigen, of *Theileria parva*, 553
Susceptibility, of salmonids to *Gyrodactylus salaris* infections following hydrocortisone treatment, 57

Taenia crassiceps, induction of apoptosis in T cells by the cysticerci of, 649
Tams 1 gene sequences, use of in detection of *Theileria annulata*, 245
Testes or muscles, in schistosomes, 45
Theileria annulata, detection of using Tams 1 gene sequences, 245
Theileria parva, a 32 kDa surface antigen of, 553

a reaction index for in East Coast fever, 371
Thymidylate synthase, in *Trichinella*, spp., 593
Tolerance, of *Plasmodium falciparum* in infants in a highly endemic area, 1
Transmission and survival, of *Anguillicola crassus* in seawater eels, 289
Transmission, of *Orientia tsutsugamushi*, to co-feeding mites, 601
Trichinella spp., single-stranded endonuclease in the excretory–secretory products of, 527
thymidylate biosynthesis and pyrimidine salvage in, 593
Trypanosoma cruzi, population structure and genetic typing of, 513
Trypanosome lymphocyte triggering factor, induction of by interferon-γ, 281
Trypanosome species, grouping of mixed infections of in *Glossina pallidipes*, 583
Trypanosomosis prevalence, satellite prediction of, 121

Unstable malaria, and chronic infections in Sudan, 447
Unvaccinated lambs, role of in the amplification of louping-ill virus, 97

Vaccination, of mice with irradiated larvae of *Litomosoides sigmodontis*, 271
Vagina vera, of *Ascaris suum*, effects of neuropeptide modulation on, 79
Virus amplification, the role of lambs in looping-ill, 97
Vole, high prevalence of *Echinococcus multilocularis* in Zürich, 135